

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptasel1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 12 BEILSTEIN enhanced with new display and select options,
resulting in a closer connection to BABS
NEWS 4 AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and display
fields
NEWS 5 AUG 02 Caplus and CA patent records enhanced with European and Japan
Patent Office Classifications
NEWS 6 AUG 02 The Analysis Edition of STN Express with Discover!
(Version 7.01 for Windows) now available
NEWS 7 AUG 27 BIOCOMMERCE: Changes and enhancements to content coverage
NEWS 8 AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added for legal
status data from INPADOC
NEWS 9 SEP 01 INPADOC: New family current-awareness alert (SDI) available
NEWS 10 SEP 01 New pricing for the Save Answers for SciFinder Wizard within
STN Express with Discover!
NEWS 11 SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
NEWS 12 SEP 27 STANDARDS will no longer be available on STN
NEWS 13 SEP 27 SWETSCAN will no longer be available on STN
NEWS 14 OCT 28 KOREAPAT now available on STN
NEWS 15 NOV 18 Current-awareness alerts, saved answer sets, and current
search transcripts to be affected by CERAB, COMPUAB, ELCOM,
and SOLIDSTATE reloads

NEWS EXPRESS OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 17:00:09 ON 18 NOV 2004

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 17:00:15 ON 18 NOV 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Nov 2004 VOL 141 ISS 21
 FILE LAST UPDATED: 17 Nov 2004 (20041117/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.44	0.65

FILE 'REGISTRY' ENTERED AT 17:00:19 ON 18 NOV 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 NOV 2004 HIGHEST RN 783276-57-3
 DICTIONARY FILE UPDATES: 17 NOV 2004 HIGHEST RN 783276-57-3


TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>
 Uploading C:\Program Files\Stnexp\Queries\10776450b.str



```

chain nodes :
1 2 3 5 6 8 9 11 12 13 14
ring nodes :
7 10 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29
chain bonds :
1-6 2-3 3-5 5-6 6-24 8-16 9-17 9-18 11-15 11-19 11-12 13-25 14-26
ring bonds :
7-16 7-17 10-15 10-17 15-16 18-20 18-21 19-25 19-26 20-22 21-23 22-24
23-24 25-27 26-28 27-29 28-29
exact/norm bonds :
1-6 5-6 7-16 7-17 8-16 9-17 9-18 10-15 10-17 11-12 15-16
exact bonds :
2-3 3-5 6-24 11-15 11-19 13-25 14-26
normalized bonds :
18-20 18-21 19-25 19-26 20-22 21-23 22-24 23-24 25-27 26-28 27-29 28-29

```

```

Match level :
1:CLASS 2:CLASS 3:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS 10:Atom
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:Atom

```

L1 STRUCTURE UPLOADED

=> id

ID IS NOT A RECOGNIZED COMMAND


The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 17:00:48 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 104 TO ITERATE

100.0% PROCESSED 104 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1469 TO 2691
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 17:00:54 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 2161 TO ITERATE

100.0% PROCESSED 2161 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

L3 1 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	155.42	156.07

FILE 'CAPLUS' ENTERED AT 17:00:58 ON 18 NOV 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is

strictly prohibited.

FILE COVERS 1907 - 18 Nov 2004 VOL 141 ISS 21
FILE LAST UPDATED: 17 Nov 2004 (20041117/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.


=> s l3

L4 1 L3

=> d ibib abs hitstr tot


L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS ON STN
ACCESSION NUMBER: 2003:42245 CAPLUS
DOCUMENT NUMBER: 138:106689
TITLE: Preparation of thiazolylamino benzamide derivatives as modulators of cell proliferation and inhibitors of protein kinases
INVENTOR(S): Chu, Shao Song; Alegria, Larry Andrew; Blackman, Ted; Michaeli Chong, Wesley K. M.; Duvadie, Rohit K.; Li, Lin; Reich, Siegfried H.; Romine, William H.; Wallace, Michael B.; Yang, Yi
PATENT ASSIGNEE(S): Agouron Pharmaceuticals, Inc., USA
SOURCE: PCT Int. Appl., 163 pp.
DOCUMENT TYPE: CODEN: PIXX02
LANGUAGE: Patent
FAMILY ACC. NUM. COUNT: English
PATENT INFORMATION: 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003004467	A2	20030116	WO 2002-US21280	20020705
WO 2003004467	A3	20040506		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TH			
RW:	CH, CM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2003225147	A1	20031204	US 2002-190219	20020705
US 6720346	B2	20040413		
EP 1438046	A2	20040721	EP 2002-782499	20020705
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, NO, MK, CY, AL, TR, BG, CZ, EE, SK			
PRIORITY APPLN. INFO.:			US 2001-303679P	P 20010706
			US 2001-305274P	P 20010713
			WO 2002-US21280	W 20020705
OTHER SOURCE(S):		MARPAT 138:106689		
GI				



AB Aminothiazole compds. with mono-/di-substituted benzamides (shown as I; variables described below; e.g. 4-[[4-amino-5-(2,6-difluorobenzoyl)thiazol-2-yl]amino]-N-(2-morpholin-4-ylethyl)benzamide), and their pharmaceutically acceptable salts, pharmaceutically acceptable prodrugs, pharmaceutically active metabolites, and pharmaceutically acceptable salts

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS ON STN (Continued)
of said metabolites are described. These agents modulate and/or inhibit the cell proliferation and activity of protein kinases and are useful as pharmaceuticals for treating malignancies and other disorders. Inhibitory activities towards three cyclin complexes of protein kinases, phosphorylated FGF receptor and/or LCK tyrosine kinase and/or cytotoxicity towards the HCT-116 cancer cell line are reported for hundreds of I, many of which were prepd. combinatorially. For I: R1 and R2 are each independently H, or an alkyl, alkenyl, alkynyl, heteroalkyl, alkoxy, aminoalkyl, aryl, heteroaryl, cycloalkyl, or heterocycloalkyl group unsubstituted or substituted with 21 substituents listed in the claims, or R1 or R2, together with the N-C(O) and two adjacent C atoms of the Ph ring of I, forms a 5- or 6-membered ring structure fused to the Ph ring of I and unsubstituted or substituted with 21 substituents listed in the claims, or R1 and R2, taken together with the N atom to which they are bonded, form a monocyclic or fused or nonfused polycyclic structure which may contain 1-3 addnl. heteroatoms, the structure being unsubstituted or substituted with 21 substituents listed in the claims. R3 is an aryl, heteroaryl, alkyl, or cycloalkyl group, unsubstituted or substituted with 21 substituents listed in the claims. Y is H, alkyl, heteroalkyl, haloalkyl, halocycloalkyl, haloalkyl, heterocycloalkyl, cycloalkyl, heterocycloalkyl, -NO2, -NH2, -N-OH, -N-ORc, -CN, -(CH2)z-CN (z is 0-4), halogen, -OH, -O-Ra-O-, -ORb, -CO-R, -O-CO-Rc, -CO-ORc, -O-CO-OR, -O-OR, -O-, -S-, -NRdRe, -CO-NRdRe, -O-CO-NRdRe, -NRC-CO-Re, -NR-CO-OR, -CO-NRC-CO-Rd, -O-SO2-Re, -O-SO-R, -O-S-R, -S-CO-Rc, -SO-CO-ORc, -SO-CO-OR, -O-SO3, -NRC-SRd, -NRC-SO-Rd, -NRC-SO2-Rd, -CO-SRc, -CO-SO-Re, -CO-OSO2-Rc, -CS-Rc, -CSO-R, -CSO2-R,, -NRC-CS-Rd, -O-CS-Re, -O-SO2-Re, -OS2-NRdRe, -SO-NRdRe, -S-NRdRe, -NRd-CSO2-Rd, -NRC-CSO-Rd, -NRC-CS-Rd, -SR, -S-Rb, and -PO2-ORc (Ra, etc. defined in claims). Although the methods of prepn. are not claimed, approx. 80 example prepn. of I are included and directions are given for combinatorial prepn. of 396 I.
IT 486416-87-9P, 4-[[4-amino-5-(2,6-difluorobenzoyl)thiazol-2-yl]amino]-N-(3-isopropoxypropyl)benzamide
RL: CPN (Combinatorial preparation); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); CMBI (Combinatorial study); PREP (Preparation); USES (Uses)
(drug candidate) preparation of thiazolylamino benzamide derivs. as modulators of cell proliferation and inhibitors of protein kinases)
RN 486416-87-9 CAPLUS
CN Benzamide, 4-[[4-amino-5-(2,6-difluorobenzoyl)-2-thiazolyl]amino]-N-[3-(1-methylethoxy)propyl]- (9CI) (CA INDEX NAME)



=> FIL REGISTRY
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.20	161.27

FULL ESTIMATED COST.

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.70	-0.70

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 17:01:41 ON 18 NOV 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 17 NOV 2004 HIGHEST RN 783276-57-3
DICTIONARY FILE UPDATES: 17 NOV 2004 HIGHEST RN 783276-57-3

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:

1-6 5-6 7-16 7-17 8-16 9-17 9-18 10-15 10-17 11-12 15-16

exact bonds :

2-3 3-5 6-24 11-15 11-19 13-25 14-26

normalized bonds :

18-20 18-21 19-25 19-26 20-22 21-23 22-24 23-24 25-27 26-28 27-29 28-29

Match level :


1:CLASS 2:CLASS 3:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS 10:Atom
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom
29:Atom

L5 STRUCTURE UPLOADED

=> d

L5 HAS NO ANSWERS

L5 STR



FILE 'CAPLUS' ENTERED AT 17:02:12 ON 18 NOV 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Nov 2004 VOL 141 ISS 21
FILE LAST UPDATED: 17 Nov 2004 (20041117/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l6

L7 1 L6

=> d ibib abs hitstr tot

L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:42245 CAPLUS

DOCUMENT NUMBER: 138:106689

TITLE: Preparation of thiazolylamino benzamide derivatives as modulators of cell proliferation and inhibitors of protein kinases

INVENTOR(S): Chu, Shao Song; Alegria, Larry Andrew; Blackman, Ted Michael; Chong, Wesley K. M.; Duvadie, Rohit K.; Li, Lin; Reich, Siegfried H.; Romines, William H.; Wallace, Michael B.; Yang, Yi

PATENT ASSIGNEE(S): Agouron Pharmaceuticals, Inc., USA

SOURCE: PCT Int. Appl., 163 pp.

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003004467	A2	20030116	WO 2002-US21280	20020705
WO 2003004467	A3	20040506		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GW, KE, LS, MW, MZ, SD, SL, SZ, T2, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2003225147	A1	20031204	US 2002-190219	20020705
US 6720346	B2	20040413		
EP 1438046	A2	20040721	EP 2002-782499	20020705
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK			
PRIORITY APPLN. INFO.:				
		US 2001-303679P	P	20010706
		US 2001-305274P	P	20010713
		WO 2002-US21280	W	20020705

OTHER SOURCE(S): MARPAT 138:106689

GI




AB Aminothiazole compds. with mono-/di-substituted benzamides (shown as I; variables described below; e.g. 4-[[4-amino-5-(2,6-difluorobenzoyl)thiazol-2-yl]amino]-N-(2-morpholin-4-ylethyl)benzamide), and their pharmaceutically acceptable salts, pharmaceutically acceptable prodrugs, pharmaceutically active metabolites, and pharmaceutically acceptable salts

L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

of said metabolites are described. These agents modulate and/or inhibit the cell proliferation and activity of protein kinases and are useful as pharmaceuticals for treating malignancies and other disorders. Inhibitory activities towards three cyclin complexes of protein kinases, phosphorylated FGF receptor and/or LCK tyrosine kinase and/or cytotoxicity towards the HCT-116 cancer cell line are reported for hundreds of I, many of which were prepd. combinatorially. For I: R1 and R2 are each independently H, or an alkyl, alkenyl, alkynyl, heteroalkyl, alkoxy, aminoalkyl, aryl, heteroaryl, cycloalkyl, or heterocycloalkyl group unsubstituted or substituted with 21 substituents listed in the claims, or R1 or R2, together with the N-C(=O) and two adjacent C atoms of the Ph ring of I, forms a 5- or 6-membered ring structure fused to the Ph ring of I and unsubstituted or substituted with 21 substituents listed in the claims, or R1 and R2, taken together with the N atom to which they are bonded, form a monocyclic or fused or nonfused polycyclic structure which may contain 1-3 addnl. heteroatoms, the structure being unsubstituted or substituted with 21 substituents listed in the claims. R3 is an aryl, heteroaryl, alkyl, or cycloalkyl group, unsubstituted or substituted with 21 substituents listed in the claims. Y is H, alkyl, heteroalkyl, haloalkyl, halocycloalkyl, haloalkyl, heterocycloalkyl, -NO2, -NR2, -N-OH, -N-ORc, -CH, -(CH2)z-CN (z is 0-4), halogen, -OH, -O-Ra-O-, -ORb, -CO-R, -O-CO-Rc, -CO-ORc, -O-CO-OR, -O-OR, -O, -S, -NRdRe, -CO-NRdRe, -O-CO-NRdRe, -NRc-CO-Re, -NR-CO-OR, -CO-NRc-CO-Rd, -O-SO2-Re, -O-SO2-R, -O-S-Re, -S-CO-Rc, -SO-CO-ORc, -SO-CO-OR, -O-SO3, -NRc-SRd, -NRc-SO-Rd, -NRc-SO2-Rd, -CO-SRc, -CO-SO-Re, -CO-SO2-Rc, -CS-Rc, -CSO-R, -CSO2-R, -NRc-CS-Rd, -O-CS-Re, -O-CSO-Rc, -O-SO2-Re, -OS2-NRdRe, -SO-NRdRe, -S-NRdRe, -NRd-CSO2-Rd, -NRc-CSO-Rd, -NRc-CS-Rd, -SH, -S-Rb, and -PO2-ORc (Ra, etc. defined in claims). Although the methods of prepn. are not claimed, approx. 80 example prepn. of I are included and directions are given for combinatorial prepn. of 396 I.

IT 486416-52-8P, 4-[[4-amino-5-(2,6-difluorobenzoyl)thiazol-2-yl]amino]-N-(3-methoxypropyl)benzamide
RL: CPN (Combinatorial preparation); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); CMBI (Combinatorial study); PREP (Preparation); USES (Uses)
(drug candidate; preparation of thiazolylamino benzamide derivs. as modulators of cell proliferation and inhibitors of protein kinases)
RN 486416-52-8 CAPLUS
CN Benzamide, 4-[[4-amino-5-(2,6-difluorobenzoyl)-2-thiazolyl]amino]-N-(3-methoxypropyl)- (9CI) (CA INDEX NAME)



L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

=> file reg

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.20	321.89

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.70	-1.40

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 17:02:34 ON 18 NOV 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 NOV 2004 HIGHEST RN 783276-57-3
DICTIONARY FILE UPDATES: 17 NOV 2004 HIGHEST RN 783276-57-3

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

1-6 5-6 7-16 7-17 8-16 9-17 9-18 10-15 10-17 11-12 15-16

exact bonds :

2-3 3-4 4-5 6-24 11-15 11-19 13-25 14-26

normalized bonds :

18-20 18-21 19-25 19-26 20-22 21-23 22-24 23-24 25-27 26-28 27-29 28-29

Match level :


1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS
10:Atom 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom
28:Atom 29:Atom

L8 STRUCTURE UPLOADED

=> d

L8 HAS NO ANSWERS

L8 STR



FILE 'CAPLUS' ENTERED AT 17:02:56 ON 18 NOV 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Nov 2004 VOL 141 ISS 21
FILE LAST UPDATED: 17 Nov 2004 (20041117/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.


=> s 19
L10

1 L9

=> d ibib abs hitstr tot


L10 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:42245 CAPLUS
DOCUMENT NUMBER: 138:106689
TITLE: Preparation of thiazolylamino benzamide derivatives as modulators of cell proliferation and inhibitors of protein kinases
INVENTOR(S): Chu, Shao Song; Alegria, Larry Andrew; Bleckman, Ted Michael; Chong, Wesley K. M.; Duvadie, Rohit K.; Li, Lin; Reich, Siegfried H.; Romines, William H.; Wallace, Michael B.; Yang, Yi
PATENT ASSIGNER(S): Agouron Pharmaceuticals, Inc., USA
SOURCE: PCT Int. Appl., 163 pp.
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003004467	A2	20030116	WO 2002-US21280	20020705
WO 2003004467	A3	20040506		
W:	AK, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2003225147	A1	20031204	US 2002-190219	20020705
US 2003004467	B2	20040413		
EP 1438046	A2	20040721	EP 2002-782499	20020705
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK			
PRIORITY APPLN. INFO.:			US 2001-303679P	P 20010706
			US 2001-305274P	P 20010713
			WO 2002-US21280	W 20020705
OTHER SOURCE(S):	MARPAT 138:106689			
GI				



AB Amino-thiazole compds. with mono-/di-substituted benzamides (shown as I; variables described below; e.g. 4-[[4-amino-5-(2,6-difluorobenzoyl)thiazol-2-yl]amino]-N-(2-morpholin-4-ylethyl)benzamide), and their pharmaceutically acceptable salts, pharmaceutically acceptable prodrugs, pharmaceutically active metabolites, and pharmaceutically acceptable salts

L10 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)
of said metabolites are described. These agents modulate and/or inhibit the cell proliferation and activity of protein kinases and are useful as pharmaceuticals for treating malignancies and other disorders. Inhibitory activities towards three cyclin complexes of protein kinases, phosphorylated FGF receptor and/or LCK tyrosine kinase and/or cytotoxicity towards the HCT-116 cancer cell line are reported for hundreds of I, many of which were prepd. combinatorially. For I: R1 and R2 are each independently H, or an alkyl, alkenyl, alkynyl, heteroalkyl, alkoxy, aminoalkyl, aryl, heteroaryl, cycloalkyl, or heterocycloalkyl group unsubstituted or substituted with ≥ 1 substituents listed in the claims, or R1 or R2, together with the N-C(O) and two adjacent C atoms of the Ph ring of I, forms a 5- or 6-membered ring structure fused to the Ph ring of I and unsubstituted or substituted with ≥ 1 substituents listed in the claims, or R1 and R2, taken together with the N atom to which they are bonded, form a monocyclic or fused or nonfused polycyclic structure which may contain 1-3 addnl. heteroatoms, the structure being unsubstituted or substituted with ≥ 1 substituents listed in the claims. R3 is an aryl, heteroaryl, alkyl, or cycloalkyl group, unsubstituted or substituted with ≥ 1 substituents listed in the claims. Y is H, alkyl, heteroalkyl, haloalkyl, halocycloalkyl, haloheterocycloalkyl, cycloalkyl, heterocycloalkyl, -NO2, -NH2, -N-OH, -N-ORc, -CN, -(CH2)z-CN (z is 0-4), halogen, -OH, -O-Ra-O-, -ORb, -CO-R, -O-CO-Rc, -CO-ORc, -O-CO-OR, -O-OR, =O, =S, -NRdRe, -CO-NRdRe, -O-CO-NRdRe, -NRc-CO-Re, -NR-CO-OR, -CO-NRc-CO-Rd, -O-SO2-Re, -O-SO-R, -O-S-Re, -S-CO-Rc, -SO-CO-ORc, -SO-CO-OR, -O-SO3, -NRc-SRd, -NRc-SO-Rd, -NRc-SO2-Rd, -CO-SRc, -CO-SO-Re, -CO-OSO2-Rc, -CS-Rc, -CSO-R, -CSO2-R, -NRc-CS-Rd, -O-CS-Re, -O-CSO-Rc, -O-SO2-Re, -OS2-NRdRe, -SO-NRdRe, -S-NRdRe, -NRd-CSO2-Rd, -NRc-CSO-Rd, -NRc-CS-Rd, -SR, -S-Rb, and -PO2-ORc (Ra, etc. defined in claims). Although the methods of prepn. are not claimed, approx. 80 example prepn. of I are included and directions are given for combinatorial prepn. of 396 I.
IT 486417-15-6P, 4-[[4-amino-5-(2,6-difluorobenzoyl)thiazol-2-yl]amino]-N-(2-methoxyethyl)benzamide
RI: CPN (Combinatorial preparation); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); CMBI (Combinatorial study); PREP (Preparation); USES (Uses)
(drug candidate); preparation of thiazolylamino benzamide derivs. as modulators of cell proliferation and inhibitors of protein kinases)
RN 486417-15-6 CAPLUS
CN Benzamide, 4-[[4-amino-5-(2,6-difluorobenzoyl)-2-thiazolyl]amino]-N-(2-methoxyethyl)- (9CI) (CA INDEX NAME)



=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.20	482.51

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.70	-2.10

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 17:03:14 ON 18 NOV 2004